



iS Tasira
Instruments & Services



TACH-10



TACH-10 Combo Tachometers

Measure rotational speed of motors, conveyor belts and other moving or rotating systems with these handheld tachometers. The TACH-10 is an economical, universal tachometer that measures rotational and surface speed using both contact and non-contact methods.

- Built-in memory function automatically stores maximum, minimum and average values as well as the last measurement displayed
- Easy to select units and mode functions
- Select RPM using infrared beam or adapter : m/min, m/sec, ft/min, ft/sec, in/min, m, ft and in
- Auto power-off function

Features	TACH-10
Rotation (Non-Contact)	10.0 rpm - 99999 rpm
Rotation (Contact)	10.0 rpm - 19999 rpm
Surface Speed (Contact)	1.0000 - 9999.9 m/min 3.0000 - 30000 ft/min 1.0 - 10000 yd/min

Included accessories : Batteries (installed), user manual, reflective tape, carrying case, adapters

LCR55A Inductance, Capacitance and Resistance Tester

The ultimate electronic component verifier measures inductance, capacitance, resistance, transistors, diodes and microwave diodes.

- Plug-in test slots and test leads with threaded alligator clips for precision testing
- Data hold and max hold
- "Zero adjust" pot for ohms
- Low battery indication
- Auto power-off

Features	CR50A	LCR55A
Resistance	20 Ω, 200 Ω, 2 kΩ, 20 kΩ, 200 kΩ, 2 MΩ, 20 MΩ	20 Ω, 200 Ω, 2 kΩ, 20 kΩ, 2 MΩ, 20 MΩ
Capacitance	200 pF, 2000 pF, 2 μF, 20 μF, 200 μF, 2 mF, 20 mF	200 pF, 2000 pF, 2 μF, 20 μF, 200 μF, 2 mF
Inductance	-	200 μH, 2 mH, 200 mH, 200 H
Transistors	-	Hfe, I _{ceo} (NPN, PNP)
Diodes	•	Standard (3 V) & microwave oven (8 V)
Continuity Test	•	•

Included accessories : User manual, test leads with alligator clips, battery (installed)



LCR55A





CONTACT DETAIL



tasira@rediffmail.com



2522 8205, 2523 1145



#293, (Old 142)
Linghi Chetty Street,
Chennai-600 001



www.tasirainstrumentations.com